

FORM PTO-1390

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

TRANSMITTAL LETTER TO THE UNITED STATES
DESIGNATED/ELECTED OFFICE (DO/EO/US)
CONCERNING A FILING UNDER 35 U.S.C. 371

1315-038

U.S. APPLICATION NO. (if known) and PCT NO.

09/980017

INTERNATIONAL APPLICATION NO.

PCT/KR00/00549

INTERNATIONAL FILING DATE

29 May 2000 (29.05.2000)

PRIORITY DATE CLAIMED

31 May 1999 (31.05.1999)

TITLE OF INVENTION

COMMUNICATION TERMINAL AND ADVERTISING METHOD USING THE SAME

APPLICANT(S) FOR DO/EO/US

Won-Seop PARK

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☐ This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).
4. ☒ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
5. ☒ A copy of the International Application as filed (35 U.S.C. 371(c)(2))
 - a. ☒ is transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ has been transmitted by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US)
6. ☐ A English translation of the International Application into English (35 U.S.C. 371(c)(2)).
 - a. ☐ is attached hereto
 - b. ☐ has been previously submitted under 35 U.S.C. 154 371 (c)(2)
7. ☐ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
 - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ have been transmitted by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendment has NOT expired.
 - d. ☐ have not been made and will not be made.
8. ☐ A English translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
10. ☐ A English translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

Items 11. to 20. below concern other document(s) or information included:

11. ☒ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
12. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
13. ☒ A FIRST preliminary amendment.
14. ☐ A SECOND or SUBSEQUENT preliminary amendment.
15. ☐ A substitute specification.
16. ☐ A change of power of attorney and/or address letter.
17. ☐ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821-1.825
18. ☐ A second copy of the published international application under 35 U.S.C. 154(d)(4)
19. ☐ A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4)
20. ☐ Other items or information.

09980017-040102

U.S. APPLIC. NO. (if known, see 37 CFR 1.5)

09/980017

INTERNATIONAL APPLICATION NO.

PCT/KR00/00549

ATTORNEY'S DOCKET NUMBER

1315-038

21. ☒ The following fees are submitted:

Basic National Fee (37 CFR 1.492(a)(1)-(5)):

Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$ 1040.00

International Search fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO and JPO \$ 890.00

International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$ 740.00

International preliminary examination fee paid to USPTO (37 CFR 1.482) but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$ 710.00

International preliminary examination fee paid to USPTO (37 CFR 1.482) And all claims satisfied provisions of PCT Article 33(2)-(4) \$ 100.00

CALCULATIONS PTO USE ONLY

ENTER APPROPRIATE BASIC FEE AMOUNT =

\$ 1,040.00

Surcharge of \$130.00 for furnishing the oath or declaration later than ☐ 20 ☒ 30 months from the earliest claimed priority date (37 CFR 1.492(e)).

\$ 130.00

CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	
Total Claims	19 - 20 =	0	X \$18.00	\$ 0.00
Independent Claims	2 - 3 =	0	X \$84.00	\$ 0.00
Multiple dependent claim(s) (if applicable)			+ \$280.00	\$ 0.00

TOTAL OF ABOVE CALCULATIONS =

\$ 1,170.00

☒ Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.

\$ 585.00

SUBTOTAL =

\$ 585.00

Processing fee of \$130.00 for furnishing the English translation later than the ☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492(f)).

\$ 0.00

TOTAL NATIONAL FEE =

\$ 585.00

Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property

\$ 0.00

TOTAL FEES ENCLOSED =

\$ 585.00


Amount to be:
refunded \$
charged \$

- a. ☐ A check in the amount of \$ XXX.XX to cover the above fees is enclosed.
- b. ☐ Please charge my Deposit Account No. XXX in the amount of \$ XXX to cover the above fees. A duplicate copy of this sheet is enclosed.
- c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 07-1337. A duplicate copy of this sheet is enclosed.
- c. ☒ Fees are to be charged to a credit card **WARNING:** information on this form may be public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

Allan M. Lowe
LOWE HAUPTMAN GILMAN & BERNER, LLP
1700 Diagonal Road, Suite 310
Alexandria, VA 22314
(703) 684-1111


SIGNATURE
Randy A. Noranbrock (For: Allan M. Lowe)
NAME reg. No. 19,641
42 940
REGISTRATION NUMBER

09980017 040107

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of :
Won-Seop PARK :
Serial No. Not yet assigned : Group Art Unit: Not yet assigned
Filed: herewith : Examiner: N/A
For: COMMUNICATION TERMINAL AND ADVERTISING METHOD USING THE
SAME

PRELIMINARY AMENDMENT

Assistant Commissioner For Patents
Washington, D.C. 20231

Dear Sir:

Preliminary to examination of the above-referenced application, please amend the application:

IN THE CLAIMS:

Please amend claims 12, 13 and 19 as follows:

12. (Amended) A communication terminal according to Claim 2, wherein said output part 90 reproduces, via said speaker or microphone, the signals or the information such as music, voice or images for advertisement, inputted via said information signal processing unit 30, according to the mode of said switching circuit 50, and displays the information of images for advertisement on said display device.
13. (Amended) A communication terminal according to Claim 2, wherein said output part 90 reproduces, via said speaker or microphone, the information such as music,

voice or images for advertisement, pre-stored in said memory unit 70, according to the mode of said switching circuit 40, and displays the information of images for advertisement on said display device.

19. (Amended) The advertising method by means of the communication terminal according to Claim 15, wherein said step 500 comprises reproducing the information such as music, voice or images for advertisement as an answer tone via said speaker on the answering communication terminal, while simultaneously displaying the information of images for advertisement via said display device on the answering communication terminal 20.

REMARKS

The above-referenced application is amended to delete the multiple dependencies of claims 12, 13 and 19 to avoid the multiple dependent claim filing fee.

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached pages are captioned "MARKED-UP VERSION SHOWING CHANGES".

Respectfully submitted,

LOWE HAUPTMAN GILMAN & BERNER, LLP



Randy A. Noranbrock
Registration No. 42,940

1700 Diagonal Road, Suite 310
Alexandria, Virginia 22314
Tel: (703) 684-1111
RAN:tmp

MARKED-UP VERSION SHOWING CHANGES

- 10 -

to the mode of said switching circuit.

- 5 6. A communication terminal according to Claim 2, wherein said output unit 90 reproduces, via said speaker or microphone, the signals or the information such as music, voice or images for advertisement, pre-stored in said memory part 70, according to the mode of said switching circuit 50.
- 10 7. A communication terminal according to Claim 2, wherein said output unit 90 displays, via said display device, the signals or the information such as music, voice or images for advertisement, pre-stored in said memory unit 70, according to the mode of said switching circuit 50.
- 15 8. A communication terminal according to Claim 3, wherein said output unit 90 reproduces, via said speaker or microphone, the signals or the information such as music, voice or images for advertisement, pre-stored in said memory unit 70, according to the mode of said switching circuit 50.
- 20 9. A communication terminal according to Claim 3, wherein said output unit 90 displays, via said display device, the signals or the information such as music, voice or images for advertisement, pre-stored in said memory unit 70, according to the mode of said switching circuit 50.
- 25 10. A communication terminal according to Claim 3, wherein said output unit 90 reproduces, via said speaker or microphone, the signals or the information such as music, voice or images for advertisement, pre-stored in said memory part 70, according to the mode of said switching circuit 50.
- 30 11. A communication terminal according to Claim 3, wherein said output unit 90 displays, via said display device, the signals or the information such as music, voice or images for advertisement, pre-stored in said memory part 70, according to the mode of said switching circuit 50.
- 35 12. A communication terminal according to Claim 2 [or 3], wherein said output part 90 reproduces, via said speaker or microphone, the signals or the information such as music, voice or images for
- 40

00980017-010102

- 11 -

advertisement, inputted via said information signal processing unit 30, according to the mode of said switching circuit 50, and displays the information of images for advertisement on said display device.

5

13. A communication terminal according to Claim 2 [or 3], wherein said output part 90 reproduces, via said speaker or microphone, the information such as music, voice or images for advertisement, pre-stored in said memory unit 70, according to the mode of said switching circuit 50, and displays the information of images for advertisement on said display device.

10

14. An advertising method by means of a communication terminal, which comprises the steps of:

15

pre-storing the information of music, voice, or images for advertisement as a call signal in a computer installed at a private branch exchange or a base station 100;

20

detecting whether a dial signal has been inputted to the exchanger of said private branch exchange or base station from an originating communication terminal 200;

25

selecting, according to said dial signal, as to whether it is a call within the private branch exchange or the same base station, or a call from the other exchanging network or base station 300;

30

transmitting a ring-back tone to an answering communication terminal while simultaneously transmitting the information such as music, voice, or images for advertisement, pre-stored in the computer, to the originating communication terminal by a call signal 400;

35

reproducing the information such as music, voice, images for advertisement as an answer tone via a speaker of said answering communication terminal 500; and

40

repetitively executing or terminating the step 500 according to the answer signal transmitted to the private branch exchange or the base station from the answering communication terminal 600.

15. The advertising method by means of the communication terminal according to Claim 14, wherein said communication terminal is a

- 12 -

wired or wireless communication terminal.

16. The advertising method by means of the communication terminal
5 according to Claim 14, wherein said communication terminal is a
wired or wireless image communication terminal.
17. The advertising method by means of the communication terminal
10 according to Claim 15, wherein said step 500 comprises reproducing
the information such as music, voice or images for advertisement as
an answer tone via said speaker on the answering communication
terminal.
18. The advertising method by means of the communication terminal
15 according to Claim 16, wherein said step 500 comprises displaying
the information such as music, voice or images for advertisement via
said display device on the answering communication terminal.
19. The advertising method by means of the communication terminal
20 according to Claim 15 [or 16], wherein said step 500 comprises
reproducing the information such as music, voice or images for
advertisement as an answer tone via said speaker on the answering
communication terminal, while simultaneously displaying the
information of images for advertisement via said display device on
25 the answering communication terminal 20.

00900017-040102

7/pst

- 1 -

COMMUNICATION TERMINAL AND ADVERTISING METHOD USING THE SAMETechnical Field

5 The present invention relates to a communication terminal and an advertising method using said terminal, wherein informations such as music, voice, or images for advertisement are reproduced or displayed as a call signal, said informations to be transmitted to said
10 communication terminal from the private branch exchange or base station in the wired or wireless communications network, or pre-stored into the memory of said communication terminal and to be selected by the user. After transmitted to said communication terminal from the private
15 branch exchange or base station in the wired or wireless communications network, or pre-stored into the memory of said communication terminal, these informations are reproduced or displayed therein as a call signal according to the user's selection.

Background Art

20 In general, as for the methods of exchanging information with the other party afar, there is a digital communication method, which exchanges digital information such as texts or numbers as well as an analog communication method, which exchanges analog information such as
25 voice. And, a call is accomplished by an originating party's dialing a telephone number on a communication terminal and then confirming a ring-back tone, in conjunction with an called party's acknowledging the call from the buzzer of a communication terminal and then answering the same.

30 Moreover, to accomplish a call, a communication system needs to be in place, comprising wired or wireless communication terminals and exchange system, capable of originating and answering, wherein said communication terminals and the exchange system are connected in a
35 wired or wireless manner by means of a subscriber's line, with the exchange systems being connected by trunk cables.

Meanwhile, with the recent development of various technologies, communication systems are not an exception in rapid growth and
40 development.

09980017.040102

- 2 -

Figure 1 shows a schematic diagram of a typical communication system currently in use. A wired or wireless terminal (A or B), capable of originating and answering, is connected to an exchange system line or a wireless channel. Between the switches, or the base stations, connections are via transit trunk cables in a wired or wireless manner.

Moreover, an exchange system comprises a speech-path unit, which provides a mutual speech path with respect to the originating and answering parties, and a control unit, which controls the speech-path unit. The control unit contains various programs, which process originating and answering, receive numbers, translate numbers, process busy calls, and do disconnections. Further, the exchange system uses a common-channel signal mode (signaling system No.7), which enables transmission of signals during a call, enables a high-speed transmission of data, and enables connection between different types of communication terminals.

Figure 2 shows a schematic circuit diagram of said communication terminal.

The communication terminal comprises a call-processing unit 1 which processes the user's voice transmitted from the private branch exchange or base station; a signal-processing unit 3 which processes the signals transmitted from the private branch exchange or the base station; a memory unit 5 having a pre-stored music, melody, etc.; and an output unit 7 which outputs the voices from a call processing unit or the music or melody pre-stored in the memory unit 5. Moreover, when a call signal is inputted into the answering communication terminal via a subscriber's line or a wireless channel from the private branch exchange or the base station, then the music, melody, etc., pre-stored in the memory unit 5 by a user, is outputted via the output unit 7 as an answer tone.

Figure 3 shows an outline of an intelligent network providing various types of additional services.

The intelligent network is generally equipped with large-scale computers and database onto the communication systems of Figure 1, which comprises a transfer network exchanging and transmitting information such as voice and data, a signal network transferring the

- 3 -

control signals between the various elements of the transfer network by means of a common-channel signaling mode (No.7), and a service network controlling the services of the intelligent network while maintaining the user data.

5 The transfer network comprises a service switching points (SSP) and a local exchanges (LE), which carries out the functions of call connections and signal-gateway. The signal network comprises signal transfer points (STP), which relays the service signals by means of
10 common-channel signaling mode (No. 7). The service network comprises a service control point (SCP) having software, database and computers which can change and add respective services. Moreover, the service control point (SCP) uses a service management system (SMS) and X.25 protocol. The signal transfer point (STP) uses a signaling engineering
15 and administration system (SEAS) and X.35 protocol.

Currently, the following sets of services are being provided by means of the intelligent network (IN): free phone (FP), credit calling (CC), personal number (PN), wide area centrex (WAC), virtual private
20 network (VPN), emergency response service (ERS), televoting, public directory, teleconference, etc.

Figure 4 shows the diagrammatic flowchart of signals in a general call.

25 Currently, the method and the communication terminal have been developed, wherein said communication terminal reproduces the melody pre-stored in the answering communication terminal as an answer tone when the private branch exchange or the base station transmits a call
30 signal to the answering communication terminal.

Although a conventional communication terminal can reproduce the music, melody, etc. pre-stored in the memory as an answer tone, it has the problem that the conventional communication terminal cannot
35 reproduce or display the information such as music, voice, or images, which is sent to the answering communication terminal from the private branch exchange or the base station.

Disclosure of Invention

40 Therefore, one object of the present invention is to provide a communication terminal and advertising methods using the same, which

09980017.040102

- 4 -

can selectively reproduces the information such as music, voice, or images, which is pre-stored in the memory or sent from the private branch exchange or the base station, on a speaker or a display device as an answer tone.

5

Another object of the present invention is to provide a communication terminal and advertising methods using the same, which can display on a displaying device the information such as the music, voice or images, which is pre-stored in the memory or sent from the private branch exchange or the base station.

10

Still another object of the present invention is to provide a communication terminal and advertising methods using the same, which can advertise via a speaker or a displaying device the information such as music, voice or images, which is pre-stored in the memory or sent from the private branch exchange or the base station.

15

Brief Description of Drawings

20 Figure 1 is a schematic diagram of a general communication network.

Figure 2 is a schematic circuit diagram of a conventional communication terminal.

25 Figure 3 is a diagram outlining the intelligent network providing various types of services.

Figure 4 is a diagram which illustrates how a call is accomplished by means of a communication terminals.

30

Figure 5 is a schematic circuit diagram of the present invention.

Figure 6 is a flowchart explaining Example 1 of the present invention.

35

Figure 7 is a flowchart explaining Example 2 of the present invention.

Modes for Carrying Out the Invention

40

The present invention is explained in detail with references to the attached drawings as below:

09980017, 040102

Example 1

Figure 5 is a schematic circuit diagram of the present invention.

- 5 As shown in Figure 5, the present invention comprises: a call-processing unit 10 which processes the user's voice call transmitted via a subscriber's line or a wireless channel from the private branch exchange or the base station; an information signal processing unit 30 which processes the signals and information such as music, voice or
10 images for advertisement transmitted via a subscriber's line or a wireless channel from the private branch exchange or the base station; a switching circuit 50 which converts between transmitting mode and memory mode according to the user's selection; a memory unit 70 which pre-stores the information such as music, voice, or images for
15 advertisement in the built-in memory; and an output unit 90, comprising a speaker, a microphone and a display device, which outputs the voice of said call-processing unit 10, and the information signals of said information signal processing unit 30 and said memory part 70.
- 20 Moreover, the output part 90 can convert the information such as music, voice or images to the data such as texts, and display the same on the display device.

- Moreover, the information signal processing unit 30 can send or
25 receive music, voice, data, etc., via a subscriber's line or a wireless channel from the private branch exchange or the base station. The output unit 90, comprising a speaker or a microphone, in addition to said display device, can simultaneously or selectively reproduce and display the voice, texts and image data.
- 30

Figure 6 is a flowchart explaining one embodiment of the present invention.

- The operation of the present invention is described in detail with
35 reference to Figure 6.

- First, the information signal processing unit 30 determines whether there is an input of a signal or information signal such as music, voice, or image for advertisement, which is transmitted via a
40 subscriber's line or wire channel from the private branch exchange or the base station.

09980017.040102

- 6 -

As a result, if the information signal is not inputted (NO), detection is made once again whether there is an input of an information signal while maintaining the in-active state of the call-
5 processing unit 10. Alternatively, if the information signal is inputted (YES), detection is made which mode has been selected between the transmission mode and the memory mode on the switching circuit 50 by the user's manipulation.

10 Consequently, if the switching circuit 50 is detected to be in a transmission mode, the information signal inputted from the information signal processing unit 30 is outputted to the output unit 90. Alternatively, if it is selected as a memory mode, the information such as music, voice, images, pre-stored in the memory unit 70 is outputted
15 to the output part 90.

Thereafter, the output unit 90 reproduces or displays the information such as music, voice, images for advertisement via a speaker, microphone or display device according to the mode of the
20 switching circuit 50, which is transmission mode or memory mode to the user's choice.

Further, if the answering user transmits an answer signal for a call to the private branch exchange or the base station via a subscriber's
25 line or a wireless channel, then the call-processing unit 10 is set to an active state, which leads to a voice call. Then, the data such as text, numbers, and images is inputted to the information signal processing unit 30, and displayed on the display device of the output unit 90.

30
Example 2

Figure 7 is a flowchart to explain Example 2 of the present invention.

35 Example 2 is explained in detail with reference to Figure 7.

As shown in Figure 7, the present invention comprises: a step 100 which involves pre-storing the information such as music, voice or images for advertisement as a call signal in the computers installed in
40 the private branch exchange or the base station; a step 200 which determines whether the dial signal has been inputted to the exchange of the private branch exchange or the base station from the originating

09980017.040102

- 7 -

communication terminal; a step 300 which makes a selection according to said dial signal as to whether it is a call within the private branch exchange or the base station, or a call from the other switching network; a step 400 which involves transmitting a ring-back tone to the answering communication terminal while simultaneously transmitting the information such as music, voice, or images for advertisement, pre-stored in the computers, to the originating communication terminal as a call signal; a step 500 which reproduces the information such as music, voice, images for advertisement as an answer tone via a speaker on an answering communication terminal; and a step 600 which repetitively executes or terminates the step 500 according to the answer signal transmitted to the private branch exchange or the base station from the answering communication terminal.

Here, in the private branch exchange or the base station includes exchanges and computers. In the computers, there are various application programs and database installed therein. Further, between the private branch exchange or the base station, and the other switching network, they are connected by means of a common-channel signaling mode (No. 7) in a wired or wireless manner.

The operation of the present invention is described in detail as follows:

First, the information such as music, voice or images for advertisement is stored (step 100) as a call signal in the computers installed at the private branch exchange or the base station, followed by step 200.

Then, in step 200, the originating communication terminal detects whether the dial signal has been inputted to the local switching network or the base station. If it is detected to be "NO," step 200 is once again executed. Alternatively, if it is determined to be "YES", step 300 is executed.

Next, in step 300, it is determined whether the call is from the private branch exchange or the base station, or from the other exchange networks. If it is detected to be "NO," then the private branch exchange or the base station, and the other telephone network are connected by means of a common-channel signaling mode (No. 7) in a wired or wireless manner, followed by step 400. Alternatively, if it is

0980017.040102

- 8 -

selected to "YES", then the progression into step 400 is made.

In continuing, in step 400, a ring-back tone is simultaneously
5 transmitted to the originating communication terminal from the
exchanger of the private branch exchange or the base station while the
information such as music, voice, or images for advertisement, pre-
stored in the computers, is transmitted to the answering communication
terminal as a call signal, followed by the progression into step 500.

10

Consequently, in step 500, the information such as music, voice, or
images for advertisement is reproduced as an answer tone via a speaker
on the answering communication terminal, followed by the progression
into step 600.

15

Moreover, in step 600, it is detected whether the answer back was
transmitted to the private branch exchange or the base station from the
answering communication terminal. If it is detected to be "NO", step
500 is-executed. If it is detected to be "YES", step 500 restarts, and
20 the toll for the call is initiated.

Industrial Applicability

As described above, the present invention can reproduce or display
25 on the output unit, according to the selection of network users, the
information such as music, voice, or images for advertisement, pre-
stored in the installed memory or transmitted from the private branch
exchange or the base station via a subscriber's line or a wireless
channel. As such, the present invention has the effect of audiovisually
30 advertising the information such as music, voice, or images, in
addition to the information such as texts or numbers, to the network
users.

Further, the present invention stores information such as music,
35 voice, or images as a call signal in the computers installed at the
private branch exchange or the base station, and then transmits the
information to the answering communication terminal and reproduces the
information such as music, voice, or images as an answer tone via a
speaker on the answering communication terminal. As such, the present
40 invention has the effect of advertisement by communicating the
information such as music or voice for advertisement to the
communication terminal of the answering user.

0980017-040102

CLAIMS

1. A communication terminal which comprises:
- 5
- (a) a call-processing unit 10 which processes the user's voice call transmitted via a subscriber's line or a wireless channel from a private branch exchange or a base station;
- 10
- (b) an information signal process unit 30 which processes the signal and information of music, voice, or images for advertisement, transmitted via a subscriber's line or a wireless channel from the private branch exchange or the base station;
- 15
- (c) a switching circuit 50 which converts between transmitting mode and a memory mode according to the user's selection;
- (d) a memory unit 70 which pre-stores the information such as music, voice, or images for advertisement in the built-in memory; and
- 20
- (e) an output unit 90, comprising a speaker, a microphone and a display device, which outputs the voice of said call-processing unit 10, and the information signal of said information signal processing unit 30, and said memory unit 70.
- 25
2. A communication terminal according to Claim 1, wherein said communication terminal is a wired or wireless communication terminal.
3. A communication terminal according to Claim 1, wherein said
- 30
- communication terminal is a wired or wireless image communication terminal.
4. A communication terminal according to Claim 2, wherein said output unit 90 reproduces, via said speaker or microphone, the signals or the information such as music, voice or images for advertisement,
- 35
- inputted via said information signal processing unit 30, according to the mode of said switching circuit 50.
5. A communication terminal according to Claim 2, wherein said output
- 40
- part 90 displays, via said display device, the signals or the information such as music, voice or images for advertisement, inputted via said information signal processing unit 30, according

- 10 -

to the mode of said switching circuit.

- 5 6. A communication terminal according to Claim 2, wherein said output unit 90 reproduces, via said speaker or microphone, the signals or the information such as music, voice or images for advertisement, pre-stored in said memory part 70, according to the mode of said switching circuit 50.
- 10 7. A communication terminal according to Claim 2, wherein said output unit 90 displays, via said display device, the signals or the information such as music, voice or images for advertisement, pre-stored in said memory unit 70, according to the mode of said switching circuit 50.
- 15 8. A communication terminal according to Claim 3, wherein said output unit 90 reproduces, via said speaker or microphone, the signals or the information such as music, voice or images for advertisement, pre-stored in said memory unit 70, according to the mode of said switching circuit 50.
- 20 9. A communication terminal according to Claim 3, wherein said output unit 90 displays, via said display device, the signals or the information such as music, voice or images for advertisement, pre-stored in said memory unit 70, according to the mode of said switching circuit 50.
- 25 10. A communication terminal according to Claim 3, wherein said output unit 90 reproduces, via said speaker or microphone, the signals or the information such as music, voice or images for advertisement, pre-stored in said memory part 70, according to the mode of said switching circuit 50.
- 30 11. A communication terminal according to Claim 3, wherein said output unit 90 displays, via said display device, the signals or the information such as music, voice or images for advertisement, pre-stored in said memory part 70, according to the mode of said switching circuit 50.
- 35 12. A communication terminal according to Claim 2 or 3, wherein said output part 90 reproduces, via said speaker or microphone, the signals or the information such as music, voice or images for
- 40

09980017.040102

- 11 -

advertisement, inputted via said information signal processing unit 30, according to the mode of said switching circuit 50, and displays the information of images for advertisement on said display device.

5

13. A communication terminal according to Claim 2 or 3, wherein said output part 90 reproduces, via said speaker or microphone, the information such as music, voice or images for advertisement, pre-stored in said memory unit 70, according to the mode of said switching circuit 50, and displays the information of images for advertisement on said display device.

10

14. An advertising method by means of a communication terminal, which comprises the steps of:

15

pre-storing the information of music, voice, or images for advertisement as a call signal in a computer installed at a private branch exchange or a base station 100;

20

detecting whether a dial signal has been inputted to the exchanger of said private branch exchange or base station from an originating communication terminal 200;

25

selecting, according to said dial signal, as to whether it is a call within the private branch exchange or the same base station, or a call from the other exchanging network or base station 300;

30

transmitting a ring-back tone to an answering communication terminal while simultaneously transmitting the information such as music, voice, or images for advertisement, pre-stored in the computer, to the originating communication terminal by a call signal 400;

35

reproducing the information such as music, voice, images for advertisement as an answer tone via a speaker of said answering communication terminal 500; and

40

repetitively executing or terminating the step 500 according to the answer signal transmitted to the private branch exchange or the base station from the answering communication terminal 600.

15. The advertising method by means of the communication terminal according to Claim 14, wherein said communication terminal is a

09980017.040102


- 12 -

wired or wireless communication terminal.

16. The advertising method by means of the communication terminal
5 according to Claim 14, wherein said communication terminal is a
wired or wireless image communication terminal.
17. The advertising method by means of the communication terminal
according to Claim 15, wherein said step 500 comprises reproducing
10 the information such as music, voice or images for advertisement as
an answer tone via said speaker on the answering communication
terminal.
18. The advertising method by means of the communication terminal
15 according to Claim 16, wherein said step 500 comprises displaying
the information such as music, voice or images for advertisement via
said display device on the answering communication terminal.
19. The advertising method by means of the communication terminal
20 according to Claim 15 or 16, wherein said step 500 comprises
reproducing the information such as music, voice or images for
advertisement as an answer tone via said speaker on the answering
communication terminal, while simultaneously displaying the
information of images for advertisement via said display device on
25 the answering communication terminal 20.


09980017.040102

FIG. 1



2/7


FIG. 2



09980017.040102


3/7

FIG. 3




4/7

FIG. 4




0980037.040107

FIG. 5



6/7


FIG. 6



09980017.040102

7/7

FIG. 7



0980017-040102

DECLARATION FOR PATENT APPLICATION AND APPOINTMENT OF ATTORNEY

As a below-named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name; I believe that I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention (Design, if applicable) entitled: **COMMUNICATION TERMINAL AND ADVERTISING METHOD USING THE SAME**

the specification of which (check one):

- ☐ is attached hereto.
☒ was filed on November 30, 2001 as Application Serial No. 09/980,017.
☒ was filed on May 29, 2000 as International Application (PCT) No. PCT/KR00/00549 and was amended on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment(s) referred to above. I acknowledge the duty to disclose all information which is material to the examination of this application in accordance with *Title 37, Code of Federal Regulations, § 1.56*. I hereby claim foreign priority benefits under *Title 35, United States Code § 119* of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which the priority is claimed.

PRIOR FOREIGN APPLICATION(S)

NUMBER	COUNTRY	DAY/MONTH/YEAR FILED	PRIORITY CLAIMED
1999/19733	Korea	31/May/1999	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
1999/20803	Korea	5/June/1999	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

I hereby claim the benefit under *Title 35, United States Code, § 120* of any United States application(s) or PCT international application(s) designating The United States of America listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of *Title 35, United States Code, § 112*, I acknowledge the duty to disclose material information as defined in *Title 37, Code of Federal Regulations, § 1.56* which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application:

APPLICATION NUMBER	FILING DATE	STATUS (Patented, Pending or Abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine, or imprisonment, or both, under *Section 1001 of Title 18 of the United States Code*, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: I, (We) hereby appoint as my (our) attorneys, with full powers of substitution and revocation, to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: Allan M. Lowe, Registration Number 19,641; Benjamin J. Hauptman, Registration Number 29,310; Michael G. Gilman, Registration Number 19,114; Kenneth M. Berner, Registration Number 37,093; and Randy A. Noranbrock, Registration Number 42,940.

Send correspondence to: **LOWE HAUPTMAN GILMAN & BERNER, LLP**
CUSTOMER NO. 22429
 1700 Diagonal Road, Suite 310
 Alexandria, Virginia 22314

TELEPHONE CALLS TO:
Allan M. Lowe
 (703) 684-1111

I hereby authorize the U.S. attorneys and agents named herein to accept and following instructions from **WONJON IP LAW FIRM** as to any actions to be taken in the U.S. Patent and Trademark Office regarding this application without direct communication between the U.S. attorneys and the undersigned. In the event of a change in the person(s) from whom instructions may be taken, the U.S. attorneys will be so notified by the undersigned.

☐ See following page(s) for additional joint inventors.

Full Name of First or Sole Inventor Won-Seop PARK		Citizenship
Residence Address - Street 715-1104 Ureuk Apartment, Saebon, Kunpo-si		Post Office Address Street
City Kyunggi-do KRX	City	
State or Country Korea	Zip 435-040	State or country Zip
DATE March 8, 2002		SIGNATURE Park Won Seop